

INVISIBLE TRACKS

Product Information

Our new Invisible system hides the tracks within the flooring & ceiling to provide a seamless continuation between inside and outdoors. Panels slide easily with only 10mm slot visible. This product offers a truly minimalist solution with a clean aesthetic.



CHARACTERISTICS

Tracks + Frames

- Recessed and hidden within the floor, wall and ceiling
- Allows for flooring material to be fitted over the tracks
- Tracks are hidden using our Invisible Track system

Glazing

- Single, Double, Triple
- Panel size up to 3m wide
- Sourced in Australia

Drainage

- Tracks designed to act as drains
- No strip drains required as built-in sub sills allow for water to be collected and drained.

Finishing

- Air craft grade aluminium in natural anodised in 25 microns
- Coloured anodising in Australia in numerous colours in 25 microns
- Powder coating in Australia in numerous colours
- Suitable for extreme environments with 15 year warranty

FUNCTION

Rollers

- Stainless steel roller bearings fitted within the tracks

Operation

- Smooth, easy one finger operation

Maintenance

- Aluminium and stainless steel parts require minimal maintenance and can be done with ease with our removable tracks.
- Extreme reliability and durability keeps maintenance to a minimum.

OPTIONS

Locks

- Various options available for locking mechanisms including electric locking.

Trickle Air Vent

- Allows for a continuous flow of fresh air without a security risk

Flyscreens

- Our profiles can be fit with flyscreens so they will work the same as glass sliding panels.

Screens


- Any material can be fit to our profiles including timber, stone and steel panels

Partitions

- A simplified sliding system is available for internal use



INVISIBLE TRACKS

Configurations







VITROCSA®



Maximum glass panel sizes available




Endless fixed & sliding panel configurations



Corner opening + pocket/cavity slider



INVISIBLE TRACKS
Double Glazed
Vitrocsa TH+ Insulated



Section